

## UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address:

COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

 APPLICATION NO.
 FILING DATE
 FIRST NAMED INVENTOR
 ATTORNEY DOCKET NO.

 08/977,644
 11/24/97
 EMERSON
 R
 PROG. 003. 00U

 HM12/0125
 —
 EXAMINER

 LEVY, N
 LEVY, N

 PALO ALTO CA 94306-0039
 ART UNIT
 PAPER NUMBER

 1617

DATE MAILED: 01/25/99

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner of Patents and Trademarks** 



## UNITED STATEDEPARTMENT OF COMMERCE Patent and Trademark Office

COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	
-		¬ [	EXAMINER	
			ART UNIT PAPER NUMBER	
		DATI	E MAILED:	

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner of Patents and Trademarks** 

-1-

Application/Control Number: 08/977,644

Art Unit 1617

Receipt is acknowledged of IDS of 2/23/98.

The Examiner requests identification of any litigation related to this application, patent #5536501.

Changes corrected by a certificate of correction must appear as original claims - not as underlined or Bracketed matter, as given at 1411.01 of MPEP, p. 1400-8 of the July 1998, 7th edition. In the present case, it is impossible to identify column and line. Applicant is requested to submit a cut up copy of the patent, in accord with the certificate of correction, and amendment in accordance with the 37

Application/Control Number: 08/977,644

Art Unit 1617

CFR 1.173 column format at MPEP 1411, incorporating brackets and underlining as applicant has done on the application originally submitted.

Applicant should also submit evidence of support in the specification for the amendments presented, in accord with MPEP 1453.

The amendment filed with the application proposes amendments to the specification and claims which can not readily be determined to be in accord with the certificate of correction. A cut up copy of the patent is requested, showing column and line that do not comply with 37 CFR 1.121(b), which sets forth the manner of making amendments in reissue applications. A supplemental paper correctly amending the reissue application is required.

A shortened statutory period for reply to this letter is set to expire ONE (1) MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Neil Levy, whose telephone number is (703) 308-2412. The examiner can normally be reached on Tuesday through Friday from 7:00 AM to 5:30 PM.

-3-

Application/Control Number: 08/977,644

Art Unit 1617

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Adams, Ph.D., J.D., can be reached on (703) 308-0570. The fax phone number for the organization where this application or proceeding is assigned is (703) 305-3592.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1235.

LEVY; aco

January 22, 1999

NEIL S. LEVY PRIMARY EXAMINER

Muller